

*Iron Baltic*



# ATV & UTV ACCESSORIES



**2014**

# STRAIGHT PLOWS

**Material** Steel, powder-coated  
**Weight** From 34kg  
**Height** 450mm  
**Length** From 1280mm to 1800mm (+additional extensions)

**Info** Impact reducing springs.  
 Double-sided blade (steel).  
 5 different working angle positions (quick & easy adjustment).  
 Working height adjustment.

Wide range of model specific mounting kits available  
 (see section snow plow mounting kits).



STRAIGHT PLOWS	Code	Price ( EUR )
Blade 1280mm + push tubes kit	04.1000	395,83
Blade 1500mm + push tubes kit	04.2000	415,00
Blade 1800mm + push tubes kit	04.3000	491,67
Blade 1500mm + extended push tubes for tracks fitted ATV	04.4000	451,67
Blade 1800mm + extended push tubes for tracks fitted ATV	04.5000	528,33
Blade 1500mm + Side wings + extended push tubes for tracks fitted ATV	04.6000	526,67
Blade 1800mm + Side wings + extended push tubes for tracks fitted ATV	04.7000	603,33

# TAPERED PLOWS

**Material** Steel, powder-coated  
**Weight** 48kg  
**Height** 400...500mm  
**Length** 1500mm

**Info** Impact reducing springs.  
 Double-sided blade (steel).  
 5 different working angle positions (quick & easy adjustment).  
 Working height adjustment.

Wide range of model specific mounting kits available  
 (see section snow plow mounting kits).



TAPERED PLOWS	Code	Price ( EUR )
Tapered plow 1500mm + push tubes kit	04.14000	540,83
Tapered plow 1500mm + extended push tubes for tracks fitted ATV	04.15000	577,50

# V-PLOWS

**Material** Steel, powder-coated  
**Weight** 65kg ... 80kg  
**Height** 450  
**Length** 1520mm ... 1800mm  
**Info** Heavy duty steel construction, suitable for clearing snow or pushing sand, dirt, gravel, etc.  
 The snow plow has 8 different working angle positions.  
 Impact reducing double springs helps the plow move over small obstacles without breaking.  
 Plow lifting with ATV winch.

Wide range of model specific mounting kits available  
 (see section snow plow mounting kits).



V-PLOWS	Code	Price ( EUR )
V-plow 1520mm + push tubes kit	04.8000	741,67
V-plow 1520mm + extended push tubes for tracks fitted ATV	04.9000	791,67
V-plow 1800mm + push tubes kit ( suitable for UTV use )	04.16000	825,00

# PUSH BROOM

**Material** Steel, plastic brushes (polypropylene)  
**Weight** 45kg  
**Height** 300mm  
**Length** 1500mm  
**Surface** Powder-coated, black  
**Info** Push Broom is suitable for the toughest sweeping conditions, cleaning agricultural, commercial and industrial debris, rubbish, leaves and even snow, withstanding water and industrial spills effectively.

Push Broom is perfect for maintaining hard surface trails, sidewalks and sweeping out storage or pole buildings.

Wide range of model specific mounting kits.



PUSH BROOMS	Code	Price ( EUR )
Push broom 1500mm + push tubes kit	04.14000	540,83
Push broom 1500mm + extended push tubes for tracks fitted ATV	04.15000	577,50

## Accessories

Parts list	Product code	Price ( EUR )
Plow blade 1280mm	04.100	187,50
Plow blade 1500mm	04.300	206,67
Plow blade 1800mm	04.800	283,33
Tapered plow blade 1500mm	20.3000	248,33
Push broom 1500mm	20.1000	332,50
Push tubes	04.200	208,33
Push tubes for tracks fitted ATV	04.700	245,00
Rubber lip 1280mm	04.400	55,00
Rubber lip 1500mm	04.500	55,00
Blade side extensions, pair	04.600	75,00
Universal mounting kit	03.4000	75,00
Blade markers (antennas), pair	20.4000	20,00



### STRAIGHT PLOW BLADES

**Material** Steel  
**Width** 1280mm / 1500mm / 1800mm  
**Height** 450mm  
**Weight** 23kg / 27kg / 35kg



### RUBBER LIPS

**Material** Rubber 20mm + steel fixing bracket  
**Length** 1280mm / 1500mm  
**Width** 50mm



### TAPERED PLOW BLADES

**Material** Steel  
**Width** 1500mm  
**Height** 400mm - 500mm  
**Weight** 30kg




### UNIVERSAL MOUNTING KIT

**Material** Steel  
**Weight** 7kg  
 Multi directionally adjustable mounting points to the ATV frame. Fits most ATVs, reducing need for vehicle specific plow mounts.




### PUSH TUBES

**Material** Steel  
**Weight** 17.5kg  
 Impact reducing springs and 5 different working angle positions (quick & easy adjustment).



### BLADE SIDE EXTENSIONS

Extends the working width by 150mm. Suitable for straight snow blades.




### PUSH BROOM

**Material** Steel / plastic brushes (polypropylene)  
**Width** 1500mm  
**Height** 300mm  
**Weight** 27kg



### BLADE MARKERS (ANTENNAS)

Length 725mm / thickness 10mm  
 Increases visibility of plow edges for safety.



## UNIVERSAL SKI SLED

<b>Material</b>	Galvanized / powder-coated steel
<b>Dimensions</b>	Platform: width 800mm x length 2250mm Sled total: width 1000mm x length 2800mm x height 850mm
<b>Packed dimensions</b>	Width 850mm x length 2300mm x height 200mm
<b>Runner skis</b>	2 x 1750mm x 180mm
<b>Weight</b>	50 kg
<b>Load capacity</b>	200 kg
<b>Other information</b>	360 degrees rotating universal hitch coupling for ATVs and snowmobiles. Platform ground clearance - 300mm. Plywood platform. Shock absorbers for skis.



Product	Code	Price ( EUR )
Universal ski sled	41.0000	440,00

## TIMBER SKI SLED

<b>Material</b>	Galvanized / powder-coated steel
<b>Dimensions</b>	Cargo frames: 2 x width 750mm x height 850mm Sled total: width 870mm x length 4600-5000mm x height 850mm
<b>Packed dimensions</b>	Width 750mm x length 1800mm x height 500mm
<b>Runner skis</b>	4 x 1750mm x 180mm
<b>Weight</b>	100 kg
<b>Load capacity</b>	500 kg
<b>Other information</b>	360 degrees rotating universal hitch coupling for ATVs and snowmobiles. Suitable for logs up to 5 m long. Adjustable cargo frame distance (2500mm - 2900mm). Removable cargo frame. Cargo straps included.



Product	Code	Price ( EUR )
Timber ski sled	42.0000	575,00

## SNOW SLED

<b>Material</b>	Plastic PE-HWU 8mm
<b>Dimensions</b> (sled cargo box)	Width 1200mm x length 2900mm x height 200mm
<b>Info</b>	Sled can be used with all ATV-s, UTV-s and snowmobiles with the rear hitch to carry almost anything.  Sleds are manufactured with 8mm polyethylene PE-HWU, which is lightweight (total weight of the sled is 50kg), UV-resistant, flexible, slippery, and durable even in Arctic temperatures as low as -50°C.



Product	Code	Price ( EUR )
Universal ski sled	22.0000	600,00

## TRAILER SKIS FOR 1-AXLE TRAILER

<b>Material</b>	Steel & plastic
<b>Dimensions</b>	Length 1440mm Width 250mm Height 220mm Weight 32kg/pair
<b>Surface finish</b>	Powder-coated, black
<b>Packed dimensions</b>	( LxWxH ) 1160mm x 250mm x 370mm
<b>Info</b>	Skis for 1-axle trailers. Steel bar construction, plastic sliding parts. Special guides under the skid to prevent sliding sideways. The kit consists of 2 skis, fixing rope/ties and detailed step-by-step fitting instructions.

Product	Code	Price ( EUR )
Trailer ski kit ( pair ) for 1-axle trailer	29.100	450,00



WINTER

## TRAILER SKIS FOR 2-AXLE TRAILER

<b>Material</b>	Steel & plastic
<b>Dimensions</b>	Length 2100mm Width 250mm Height 220mm Weight 45kg/pair
<b>Surface finish</b>	Powder-coated, black
<b>Packed dimensions</b>	( LxWxH ) 1800mm x 250mm x 370mm
<b>Info</b>	Skis for 2-axle trailers. Steel bar construction, plastic sliding parts. Special guides under the skid to prevent sliding sideways. The kit consists of 2 skis, fixing rope/ties and detailed step-by-step fitting instructions.

Product	Code	Price ( EUR )
Trailer ski kit ( pair ) for 2-axle trailer	29.200	491,67



## SKIS FOR 1-AXLE ATV TRAILER

<b>Material</b>	Steel & plastic
<b>Dimensions</b>	Length 1500mm Width 250mm Height 400mm Weight 40kg/pair
<b>Surface finish</b>	Powder-coated, black
<b>Packed dimensions</b>	( LxWxH ) 1800mm x 250mm x 370mm
<b>Info</b>	Skis for 1-axle ATV trailers. Fitment for 4x100 wheel bolt pattern. Steel bar construction, plastic sliding parts. Special guides under the skid to prevent sliding sideways.

Product	Code	Price ( EUR )
SKIS ( pair ) for 1-axle ATV trailer	29.300	390,83



# SNOW BLOWER

Material	Powder-coated steel
Dimensions (assembled)	width 1250mm x height 1000mm x adjustable length 2400mm - 3500mm
Packed dimensions	width 1500mm x height 1000mm x length 1200mm
Working width & height	1250mm x 500mm
Weight	200 kg
Engine	13HP Honda GX390 ( Iron Blower Light ) 18HP Briggs & Stratton V-Twin Vanguard ( Iron Blower PRO V2 )
Snow ejection	The direction tube is electrically adjustable via a control panel, ejection 15 m.
Push frame	Telescopic mounting / push frame, with adjustable length 1600mm - 2600mm.
Working speed	up to 5 km/h recommended
Additional features	CE- certificate Comes with installation and user manuals. Universal telescopic adjustable, strong square tube push frame allows installation to most 4x4 ATV machines. The push frame is fixed to the rear hitch ball and with the adjustable chains to the ATV front arms. Installation takes 5-10 minutes. 360 degrees rotating wheel carriers with 4" wheels to carry the weight of the snow blower. An ATV is used only to push the machine. Control panel for ejection tube movement with stop button to shut off the blower engine. Working position and transportation position (set with ATV winch). Easy to use belt tensioner, fast removal and installation of the clutch belt, if needed. Protective shaft bolts against excess load in rotor shaft movement.

Product	Code	Price ( EUR )
"Iron Blower Light" 13HP ( Honda GX390 )	30.1000	3325,00
"Iron Blower PRO V2" 18HP ( B&S V-Twin Vanguard )	30.2000	3741,67

**An ATV front mounted winch (min 1500lbs) and rear hitch-ball needed for installing the snow blower!**



# SKI TRACK MAKER "TRACKER 230"

**Working width** 2300mm ( 1800mm without extensions )  
**Width of the classic track** 230mm  
**Dimensions of the product** Width 2300mm x Height 670mm x Lenght 3550mm  
**Packaging dimensions** Width 500mm x Height 600mm x Lenght 1800mm  
**Weight** ca 150kg  
**Info** The ski track maker is meant for the preparation and grooming of ski tracks.  
 The classic track setter can be adjusted to three different positions (it is also possible to mount three adjacent classic track setters).  
 Easily adjustable ice blade for the later grooming of the ski track.  
 Possibility to mount additional weights (sandbags etc.) for more efficient snow compression.  
 Support wheels for the transporting position. In the transporting position, the height of the equipment from the ground is 200 mm.  
 Can be hitched to an ATV (preferably a tracked ATV), a snowmobile or a compact tractor.  
 The product comes with detailed assembly and user manuals.



WINTER

Product	Code	Price ( EUR )
Ski Track Maker ( including classic track setter 1pc )		991,67



## CLASSIC TRACK SETTER

**Working width** 1100mm ( 600mm without extensions )  
**Width of the classic track** 230mm  
**Dimensions of the product** Width 1100mm x Height 120mm x Lenght 1270mm  
**Packaging dimensions** Width 600mm x Height 120mm x Lenght 750mm  
**Weight** 25kg

Product	Code	Price ( EUR )
Classic Track Setter	47.100	225,00



## TRAILER "Offroad PRO 500"

<b>Material</b>	Frame / axle parts are galvanized or powder-coated steel Cargo box parts are zinc coated steel
<b>Cargo box dimensions</b>	Width 1000mm x Length 1480mm x Height 600mm
<b>Trailer full dimensions</b>	Width 1200mm x Length 2580mm x Height 1100mm
<b>Packed dimensions (on the pallet)</b>	Width 1200mm x Length 1600mm x Height 650mm (1.25cbm)
<b>Tyres</b>	All terrain type, 22 x 11 - 8
<b>Weight</b>	120 kg
<b>Load capacity</b>	500 kg
<b>Other information</b>	Manual lift Stand Front and rear boards of the cargo box are easily removable. Side board extensions are removable. Possible to use as a timber trailer, with 2.7m total length of the carriage. Comes with CE-markings and safety instructions.

Product	Code	Price ( EUR )
Trailer "Offroad PRO 500"	35.0000	741,67



## TRAILER "Offroad PRO 1000"

<b>Material</b>	Galvanized / powder-coated steel
<b>Dimensions</b>	Cargo box: width 1100mm x length 2000mm x height 660mm Trailer total: width 1200mm x length 3000mm x height 1000mm
<b>Packed dimensions</b>	Width 1200mm x Length 1500mm x Height 1000mm
<b>Tyres (x 4)</b>	All terrain type, 22 x 11 - 8
<b>Weight</b>	Approx 170 kg
<b>Load capacity</b>	1000 kg
<b>Other information</b>	Manual lift on cargo box. Removable front and rear hatch on cargo box. Removable side port extensions on box. Can also be used as a timber trailer. Comes with CE-markings and safety instructions.

Product	Code	Price ( EUR )
Trailer "Offroad PRO 1000"	32.0000	1408,33



## TRAILER "ECO 300"

<b>Material</b>	Frame / axle parts are galvanized or powder-coated steel Cargo box is zinc coated steel
<b>Cargo box</b>	Width 950mm x Height 450mm x Length 1300mm
<b>Trailer full dimensions</b>	Width 1100mm x Height 900mm x Length 1800mm
<b>Tyres</b>	Off-road type, 22 x 11 - 8
<b>Weight</b>	80 kg
<b>Load capacity</b>	300 kg
<b>Other info</b>	Manual lift Front and rear boards of the cargo box are easily removable. Optional cargo box extensions available separately (product code 40.1000). Optional hitch / pull bar extension with 360 degree rotating hitch coupling available separately (product code 40.2000). Product imported and improved / assembled by Iron Baltic.
<b>Transport dimensions (packed)</b>	950mm x 550mm x 1300mm (0.7 cbm)



40.0000



40.0000B

Product	Code	Price ( EUR )
Trailer "ECO 300"	40.0000	387,50
Trailer "ECO 300" + pull bar extension	40.0000A	437,50
Trailer "ECO 300" + box extended cage	40.0000B	462,50
Trailer "ECO 300" + pull bar extension + box extended cage	40.0000C	512,50
Box extended cage ( Height 300mm )	40.1000	75,00
Pull bar extension / rotating hitch coupling	40.2000	50,00



40.0000A



40.0000C

## TRAILER "ECO 1000"

<b>Material</b>	Powder-coated steel
<b>Cargo box</b>	Width 1250mm x Height 850mm x Length 1750mm
<b>Trailer full dimensions</b>	Width 1250mm x Height 1300mm x Length 2800mm
<b>Tyres</b>	Off-road type, 22 x 11 - 8
<b>Weight</b>	220 kg
<b>Load capacity</b>	1000 kg
<b>Other info</b>	Lift with manual winch. Tandem axle / 4 wheels. Cargo box extensions (cage) - 300mm. Front and rear boards of the cargo box are easily removable. Product imported and improved / assembled by Iron Baltic.
<b>Transport dimensions (packed)</b>	1250mm x 600mm x 1800mm




Product	Code	Price ( EUR )
Trailer "ECO 1000"	38.0000	991,67



## GRADER

Material	Galvanized steel
Trailer full dimensions	Width 1780mm x Height 720mm x Length 1950mm
Packed dimensions	Width 1400mm x Height 600mm x Length 1100mm
Tyres	4.80 / 4.00 – 8"
Weight	85 kg
Other info	Grader for uncomplicated road improvement works or land planning. Transportation position and working height adjustment via support wheels. Frame for mounting additional weight. Product imported and improved / assembled by Iron Baltic.

Product	Code	Price ( EUR )
Grader	44.0000	491,67



## BALE TRAILER

Material	Galvanized steel
Trailer full dimensions	Width 1700mm x Length 2200mm x Height 1000mm
Packed dimensions	Width 1300mm x Length 2000mm x Height 500mm
Tyres	Off-road type, 22 x 11 - 8
Weight	80 kg
Other info	Trailer for transporting hay bales. Loading/unloading bales with hand winch. (The hand winch is included in the package ). Product imported and improved / assembled by Iron Baltic.

Product	Code	Price ( EUR )
Bale Trailer	43.0000	606,67



## DISC CULTIVATOR

Working width	1200mm
Working depth	100 - 150mm
Disc quantity	8 disc blades
Disc diameter	460mm
Disc thickness	4mm
Cutting angle	20 degrees
Weight	140 kg
Other info	Adjustable height tongue allows using various sizes of ATVs, UTVs and compact tractors. Transition from off road transport to cutting with an easy flip-over design. Frame can be weighted for greater digging depth. Recommended for commercial food plot farms, large gardens, row cultivation, and yard prep work. Product imported and improved / assembled by Iron Baltic.

Product	Code	Price ( EUR )
Disc cultivator	51.1000	550,00



# FLAIL MOWERS

Dimensions	1760mm x 1720mm x height 900mm
Packed dimensions	1900mm x 850mm x height 820mm
Weight	230 ... 250 kg
Cut width	115 cm
Working speed	2-10 km/h
Engine	13 hp Honda GX 390 15 hp Loncin G420F 18HP Briggs & Stratton V-Twin Vanguard
Blades	Y-blades - for rough cutting, thick grass fields etc
Other info	Flail mower to be used with an ATV/UTV or a small tractor. Cuts effectively large grass fields, lawn or roadsides. Easily adjustable cut height. Easy and quick tow behind transportation from one working field to another due quick set transportation position. Possible to adjust the working position from directly behind the ATV to sideways of the ATV (towing machine). Anti scalp rear roller. Complete, illustrated user/operator & CE safety instructions included. Product imported and improved / assembled by Iron Baltic.



Product	Code	Price ( EUR )
Flail mower 13HP ( Honda GX390	27.1000	1875,00
Flail mower 15HP ( Loncin G420F )	27.2000	1625,00
Flail mower 18HP ( B&S V-Twin Vanguard )	27.3000	2325,00
Spare parts	Code	Price ( EUR )
Y-blade (for rough cutting)	27.001	2,50
Hammer blade (for finishing cutting)	27.002	2,67
Clutch assembly	27.003	75,00
Belt	27.005	5,00



# FINISHING MOWER

Cutting width	1500mm
Working efficiency	1500-2500m <sup>2</sup> /h
Packing dimensions	1450mm x 1050mm x height 1100mm
Engine power	16HP Loncin with electric start
Cutting height	25 - 185mm
Weight	220kg
Number of blades	3
Other info	Finishing mower to be used with an ATV/UTV or a small tractor. The mower is suitable for mowing large flat fields. Easily adjustable cut height. Complete, illustrated user/operator & CE safety instructions included. Product imported and improved / assembled by Iron Baltic.



Product	Code	Price ( EUR )
Finishing mower 16HP ( Loncin )	50.1000	1600,00

## LOG SPLITTER

Max force	30 ton
Log capacity	length 620mm / diameter 500mm
Return seconds	14 sec
Engine	9HP Lifan
Pump	16 MPa
Pressure	240 bar
Hydraulic tank	26L
Packing size	Length 2100mm x Width 600mm x Height 580mm
Dimensions	Length 2200mm x Width 500mm x Height 550mm
Wedge style	4-way
Weight	270kg

Other info  
Efficient tool for splitting large logs of wood.  
Adjustable to horizontal and vertical working positions.  
Control valve locks into reverse and automatically returns to start position after the log has been split.  
Complete, illustrated user/operator & CE safety instructions included.

Product	Code	Price ( EUR )
Log Splitter 9HP Lifan	49.1000	1375,00



## LOG HAULER

Material	Galvanized / powder-coated steel
Dimensions	Length 1700mm x Width 1200mm x Height 1300mm
Packed dimensions	Length 1200mm x Width 1200mm x Height 1200mm
Tyres	All terrain type 22 x 11 – 8
Weight	60 kg
Load capacity	500 kg
Other info	Includes hand winch or electric ATV winch for pulling logs out of the woods. Hang / tie system to carry larger logs, rotatory lower frame to carry lighter timber. Tie down chain and rope to fix the logs onto the hauler frame. Safety and user manual included.

Product	Code	Price ( EUR )
Log Hauler with electric winch kit	31.1000	825,00
Log Hauler with hand winch kit	31.2000	658,33



## TIMBER TRAILER "IRON 1000"

<b>Material</b>	Galvanized / powder-coated steel
<b>Trailer full dimensions</b>	Width 1200mm x Height 1100mm x adjustable length 2800mm - 4000mm
<b>Packed dimensions</b>	Width 1000mm x Length 1500mm x Height 800mm (1.2 cbm)
<b>Tyres (x 4)</b>	All terrain type, 22 x 11 - 8
<b>Weight</b>	130 kg
<b>Load capacity</b>	1000 kg
<b>Other info</b>	360 degrees rotating hitch coupling. Adjustable trailer length. Max possible length of carriage is 3m. Possible to use with the additional large cargo box. Tandem axle with 4 wheels. Supplied with CE-markings and safety instructions.



Product	Code	Price ( EUR )
Timber Trailer "Iron 1000"	23.0000	1075,00
Timber Trailer "Iron 1000" + Cargo box	23.3000	1875,00
Cargo box set	23.2000	800,00




## TIMBER TRAILER "ECO 700"

<b>Material</b>	Galvanized / powder-coated steel
<b>Trailer full dimensions</b>	Width 1300mm x Height 1900mm x adjustable length 2500mm - 3500mm
<b>Packed dimensions</b>	Width 1000mm x Length 2000mm x Height 1200mm
<b>Tyres</b>	4 x all terrain type, 22 x 11 - 8"
<b>Weight</b>	300 kg
<b>Load capacity</b>	700 kg
<b>Other info</b>	360 degrees rotating hitch coupling. Adjustable trailer length. Max possible length of carriage is 3m. Removable cargo box (manual lift or lifting via supplied crane). Crane for pulling the logs or lifting the cargo box. Tandem axle with 4 wheels. Product imported and improved/assembled by Iron Baltic.



39.0000A

Product	Code	Price ( EUR )
Timber trailer "ECO 700"	39.0000	658,33
Timber trailer "ECO 700" + Crane	39.0000A	841,67
Timber trailer "ECO 700" + Cargo box	39.0000B	983,33
Timber trailer "ECO 700" + Crane + Cargo box	39.0000C	1166,67
Cargo box	39.1000	325,00
Crane	39.2000	183,33



39.0000




39.0000B



39.0000C

# Hydraulic timber trailer "FORESTER 3400"

Trailer dimensions	Width 1360mm x height 1500mm x length 3800mm
Loading area	Width 1250mm x height 750mm x length 2500mm x (ca 2.5m³)
Total weight	600kg
Loading capacity	1500kg
Maximum reach of the crane	3.4m
Maximum weight lifting at 3.4m	200kg
Maximum weight lifting at 1.7m	350kg
Rotator	Baltrotors GR10
Rotation radius	+/- 90°
Rotation radius of the rotator	infinite
Grapple area	0.08m²
Maximum opening of grapple	750mm
Oil pressure	160bar
Tyres	Low pressure tyres 22 / 11 – 8"
Coupling	360 degrees rotatory coupling for 50mm hitch ball



## 4x4 hydraulic drive system

Speed 3 –5 km/h  
Waterproof electric remote control

Hydraulic drive system helps the ATV move in hard conditions like deep snow, mud or stumps.



## Hydraulic winch

Rated line pull 800kg  
Speed 10 – 25m/min  
Remote control area 30m

The winch helps to pull logs closer from inaccessible and dangerous areas.  
Radio controlled hydraulic winch placed on the crane construction.



## Hydraulic unit

7.5HP 4-stroke petrol engine with electric starter and battery  
Oil tank 8 litres  
Dimensions 350mm x 350mm x 700mm  
Weight 30 kg

The hydraulic unit is fastened on the front rack of an ATV or on the back of an UTV or a pick-up truck.  
Provides the necessary oil flow and pressure to operate the crane and all the accessories.



## Additional information:

Galvanized and powder-coated steel construction.  
2 pairs of log bolster posts in standard kit (possible to add extra log bolster posts for smaller timber).  
Log bolster posts can be moved on the main frame to adjust the load balance of the trailer.  
Suitable for transporting timber up to 5 metres of length.  
Most of the hydraulic distribution moves through the frame of the trailer, making for good protection against damage.  
Safe uploading of timber provided through hydraulic support legs.  
Complete, illustrated user / operator & CE safety instructions included.

Product	Code	Price ( EUR )
Hydraulic timber trailer "Forester 3400"	45.0000	6833,33



## LOG BOLSTER POSTS KIT

Mounting additional posts allows transporting shorter logs.

<b>Material</b>	Galvanized and powder-coated steel construction
<b>Dimensions</b>	1300mm x 800mm
<b>Weight</b>	20kg

Product	Code	Price ( EUR )
Log bolster posts kit	45.4000	106,67



## TIPPING BOX

Galvanized and powder-coated steel construction.

The tipping box can be easily mounted on the trailer by removing the logging post on the trailer and lifting the dumper onto the trailer. Dumper dumps by 2 hydraulic cylinders.

<b>Dimensions WxHxL</b>	1400mm x 400mm x 2100mm
<b>Capacity</b>	1500kg
<b>Tipping angle</b>	46°
<b>Weight</b>	200kg

Product	Code	Price ( EUR )
Tipping box set	45.2000	1408,33



## EARTH BUCKET

Designed to lift and dig soft soil.

<b>Capacity</b>	60 litres
<b>Weight</b>	60kg
<b>Dimensions</b>	420mm x 420mm x 560mm

Product	Code	Price ( EUR )
Earth bucket set	45.3000	350,00

